Table 4

348	œ	2	ĸ	œ	ĸ	œ	Ж				Д		; !		1		×		***************************************	1	,		Particular si		-		-	·	;		· · · · · · · · · · · · · · · · · · ·	
345	Z	_	Z		z	z	z	22.2							,-:				_				4									
342	S	z	ဟ	Z	Z	z	z			- 2	z	-											5			-		• •				
321	ш	ı	ш	宀	Ŀ	ட	<u></u>			TO STORMAN SAN	**************************************	A DANSON				WAS AND ADDRESS OF THE PARTY OF								M www.m	***************************************			1				
315	T	<u> </u>	<u></u>	Н	H	H	H									,				š •	!	1						, ,	!	*		
292	7	<u>'</u> _	٠ ــــا شام	ب	_	_	_								***************************************		errane water			,		s s						: !		ž		
291	A	S	4	∢	∢	Ą	Ą																-									
288	s	۵.	S	ဟ	H	z	z								۷	•	H		H	Z			z							•		
220	>	>	>	>	≻	>	>					z	z	, ;	z	z																
219	۲	Æ	⋖	٨	Ø	Ø	∢	α		۵.										Ø												
210	>	>	>	>	>	>	>		A													·							No. Company of the Co			
203	8	S	œ	တ	ග	¥	¥			7												7.							ж		¥	
151	z	z	z	z	z	z	z						} : ;													ļ						
122	۵	□	□	□	۵	凸	□			L	Ш			2-64334																		
120	>	ш	_	ய	щ	>	7							.,						ш.			ш.	ш.		ш.	-				-	ഥ
119	Ø	Ø	Ø	Ø	Ø	Ø	Ø							ス										,								
118		اد	ا ر ــا	· س	_	لــ		ggerop, v				2000007	and the same of	pr. 85								-6. 85.00						6				
91	۲			-	-	_	_		Σ	Σ							444															
# pi	cae	ria	;je	ropi	nosa	iditis	litica	7.	4.	٠. د	10	Ξ.	14	.23	.24	.25	1.1	1.1	က	4.	9.	.7	ω.	6.	12	13	14	17	29	4.	ις.	ا و
amino acid#	cloacae	A. sobria	E. coli	anth	aeroginosa	S. enteriditis	enterolitica	IRL 1.8.1	IRL1.8.4	RL1.8.5	RL1.8.10	IRL1.8.11	IRL1.8.14	IRL 1.8.23	RL1.8.24	RL1.8.25	IRL1.6.	IRL 2.8.1	RL2.8.3	RL2.8.4	RL2.8.6	IRL2.8.7	IRL 2.8.8	IRL 2.8.9	RL2.8.12	RL2.8.13	RL2.8.14	IRL2.8.17	RL2.8.29	IRL2.3.4	IRL2.3.5	RL2.3.6
am	E.	۲	-	o.	Р. а	S.	Y. e	=	4	ᆂ	뜨	뜨	뜨	뜨	뜨	뜨	=	#	느	=	뜨	뜨	=	==	巫	뜨	꼰	ㄸ	丝	뜨	=	۳

United States Patent & Trademark Office

Office of Initial Patent Examination - Scanning Division



Application deficience	cies found duri	ng scanning:	
□ Page(s)	of		were not present
for scanning.		(Document title)	
□ Page(s)	of		were not present
for scanning.		(Document title)	

Scanned copy is best available. There are 34 pages

Of specification, 4

Pages of claim and 1

Page of abstract.